





From fully multi-coated lenses to ED Prime Glass and other proprietary coatings, Bushnell's tactical optics deliver superior light transmission that set them apart from the competition.

Head to head, we also offer more turret travel - giving you the ability to put shots down range accurately and at further distances than any other optics on the market.

In addition, all of the families in our tactical line come standard with throw levers. When fractions of a second count - we'll give you the advantage you need to take home a win or come home safe.

Bottom line - Bushnell's tactical riflescope lineup has been designed to give you the confidence you need each and every time.





ED PRIME GLASS -

Featuring our proprietary HDOS design (High Definition Optical Design), ELITE TACTICAL riflescopes come standard with ED Prime glass to deliver best in class color while also preventing chromatic aberration so no detail goes unnoticed.

PROTECTED FROM THE ELEMENTS -

Enhanced to defeat any weather condition, the ELITE TACTICAL riflescopes features our patented EXO Barrier lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

UNPARALLELED CLARITY -

ELITE TACTICAL riflescopes deliver the best resolution and contrast possible through the use of high definition glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

THROWHAMMER™ LEVER -

Easily adjusts magnification changes with a snap of a finger.


REVLIMITER™ ZERO STOP -

The elevation turret provides 10 mils of adjustment per revolution and is also equipped with the easy-to-set RevLimiter™ Zero Stop for a positive return to zero.



ELITE TACTICAL 6







MIL-DOT RETICLES -

Tried and clue classic Mil-Dot reticle design for ranging and shooting. Preferred reticle of choice for elite military and law enforcement professionals.

DURABLE DESIGN -

TAC OPTICS riflescopes are engineered with a rugged, durable design capable of handling the harshest environments and are purpose built for multiple rifle platforms.

PROTECTED FROM THE ELEMENTS -

TAC OPTICS riflescopes features our patented EXO Barrier lens coating. Molecularly bonded to the glass, EXO Barrier repels water, fog, oil, dust and debris.

UNPARALLELED CLARITY -

TAC OPTICS riflescopes deliver the best resolution and contrast possible through the use of high definition glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

















6-24x 50mm BT6245F

10x 40mm

BT1040







MIL DOT

TAC OPTICS 8







COMPACT & LIGHTWEIGHT DESIGN -

Offering reduced weight and a slim, compact design, TAC OPTICS red dots feature enhanced glass and a wide field of view. These durable red dots can be used with multiple rifle platforms and withstand thousands of rounds down range.

EXTENDED BATTERY LIFE -

Improves upon industry-leading battery life, with some models exceeding 50,000 hours.



Big D^{ot} BT71X37







BRIGHTNESS -

Adjustable brightness settings, visible at all hours and in every lighting condition.

MULTIPLE RETICLES -

Easily select between four reticles in the same scope, while maintaining an accurate zero (Mini Cannon).




LIL Prism BT71XPS



TAC OPTICS 10

MINI CANNON BT71XRDX













BDC RETICLES -

Designed for use with specific calibers, AR OPTICS riflescopes provide precise elevation holds through BDC (Ballistic Drop Compensation) reticles.

AR 15/10 COMPATIBLE -

Engineered specifically for todays modern sporting rifle, AR OPTICS feature a low profile design and a wide field of view.

UNPARALLELED CLARITY -

AR OPTICS riflescopes deliver the best resolution and contrast possible through the use of high definition glass, Fully Multi-Coated lenses, and other unique processes known only to Bushnell.

PCL -

Lightning quick power changes with the Throw Down PCL lever. Every scope features a Throw Down PCL lever that can be customized with two different heights.


















4.5-18x 40mm AR741840

RETICLES



DROPZONE 223





AR OPTICS 12

1-4x 24mm AR71424I

DROPZONE 308



DROPZONE 6.1



BTR-300 AAC



BTR-2





OPTICS FOR EVERY USE -

AR OPTICS red dots are designed for use on multiple firearm configurations. Compatible for use on rifles, pistols, shotguns and modern sporting rifles.

INNOVATIVE MOUNTS INCLUDED -

AR OPTICS red dots come standard with mounts included for quick installation and use. Red dots can be easily positioned per user preference.

EXTENDED BATTERY LIFE -

Improves upon industry-leading battery life, with some models exceeding 50,000 hours.

BRIGHTNESS -

Adjustable brightness settings, visible at all hours and in every lighting condition.



BTR-3

ADVANCE MICRO REFLEX SIGHT AR750006



ACCELERATE PRISM SIGHT AR750010





FIRST STRIKE 2.0 AR71XRS



ENRAGE RED DOT AR751305



TRANSITION 3X MAGNIFIER AR731304















TRS-26 AR71XRD






3 MOA DOT





5 MOA DOT



CIRCLE DOT



DUAL PURPOSE DESIGN -

Bushnell lasers incorporate a dual purpose design allowing users to activate the red laser while still using functional firearm accessories (i.e. handguard, front sight and hi-rise mount)

EXTENDED BATTERY LIFE -

Improves upon industry-leading battery life, with some models exceeding 50,000 hours.

WATERPROOF -

As durable as the firearms they are mounted on these lasers are fully waterproof giving you piece of mind that last.

PREMIUM FEATURES

HASTE FOREGRIP -

Ambidextrious foregrip with incorporated red laser for use on picatinny-style rails

CHASE FRONT SIGHT -

Flip-up/Fold-down front sight with built in red laser.

RUSH HI-RISE MOUNT -

Hi-rise mount for additional accessories with integrated red laser.








RUSH HI-RISE MOUNT AR10003BR

AR OPTICS 16



AR10002BR



ELITE® TACTICAL

SKU	NAME	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEVATION TRAVEL MOA	WINDAGE TRAVEL MOA	TRAVEL PER REVOLUTION	TUBE SIZE	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
ET46305GI	XRS II	4.5-30x 50	Illum G3	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	14.3
ET46305GZ	XRS II	4.5-30x 50	G3	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	14.3
ET46305GZA	XRS II	4.5-30x 50	G3	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	14.3
ET46305Z	XRS II	4.5-30x 50	H59	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	14.3
ET46305T	XRS II	4.5-30x 50	Tremor 3	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	14.3
ET732150ED	DMR II Pro	3.5-21x 50	G3	First	100 MOA	60 MOA	10 Mil	34mm	4.0	24'@4.5x / 4'@30x	37	13.2
ET36215G	DMR II	3.5-21x 50	G3	First	100 MOA	67 MOA	10 Mil	34mm	4.0	25'@3.5x / 5'@21x	34	13.2
ET36215GI	DMR II	3.5-21x 50	Illum G3	First	100 MOA	67 MOA	10 Mil	34mm	4.0	25'@3.5x / 5'@21x	34	13.2
ET36215H	DMR II	3.5-21x 50	H59	First	100 MOA	67 MOA	10 Mil	34mm	4.0	25'@3.5x / 5'@21x	34	13.2
ET3124GA	LRTS	3-12x 44	G3	First	80 MOA	80 MOA	10 Mil	30mm	4.0	35'@3x / 9'@12x	28	13.1
ET3124GI	LRTS	3-12x 44	Illum G3	First	80 MOA	80 MOA	10 Mil	30mm	4.0	35'@3x / 9'@12x	28	13.1
ET45184GA	LRTS	4.5-18x 44	G3	First	80 MOA	80 MOA	10 Mil	30mm	4.0	24'@4.5x / 6'@18x	28	14.3
ET45184GI	LRTS	4.5-18x 44	Illum G3	First	80 MOA	80 MOA	10 Mil	30mm	4.0	24'@4.5x / 6'@18x	28	14.3
ET71624P	SMRS II Pro	1-6.5x 24	CQ BDC	Second	100 MOA	100 MOA	10 Mil	30mm	4.0	107'@1x / 17'@6.5x	18	10.2
ET71624	SMRS II	1-6.5x 24	CQ BDC	Second	100 MOA	67 MOA	10 Mil	30mm	4.0	107'@1x / 17'@6.5x	23	10.5
ET18524	SMRS	1-8.5x 24	BTR-2	First	100 MOA	100 MOA	10 Mil	34mm	4.0	105'@1x / 14'@8.5x	23	10.5
ET71X32	CQTS II	1x 32	Multi Dot	N/A	100 MOA	100 MOA	10 Mil	30mm	Unlimited	Unlimited	11	4.8

SPECIFICATIONS 18

TAC OPTICS™ RIFLESCOPES

SKU	NAME	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEVATION TRAVEL MOA	WINDAGE TRAVEL MOA	TRAVEL PER REVOLUTION	TUBE SIZE	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
BT1040	LRS	10x 40	Mil-Dot	N/A	85 MOA	85 MOA	10 MOA	1"	3.4	10.5'@10x	15	11.8
BT4305	LRS	4.5-30x 50	Mil-Dot	Second	120 MOA	70 MOA	12 MOA	30mm	3.8	22'@4.5x / 4'@30x	21	13.4
BT5154	LRS	5-15x 40	Mil-Dot	Second	50 MOA	50 MOA	12 MOA	1"	3.4	21'@5x / 7'@15x	21	14.3
BT6245F	LRS	6-24x 50	Illum Mil-Dot	First	80 MOA	80 MOA	5 Mil	30mm	3.4	17'@6x / 4.5'@24x	27	13.8
BT6245FG	LRS	6-24x 50	G2	First	80 MOA	80 MOA	5 Mil	30mm	3.4	17'@6x / 4.5'@24x	27	13.8

TAC OPTICS™ RED DOTS

SKU	NAME	MAG X OBJ LENS	RETICLE	PARALLAX FREE DISTANCE	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)	EYE RELIEF (MAX POWER) (IN)	CLICK VALUE	ADJ RANGE	BRIGHTNESS SETTINGS	RETICLE COLOR	MOUNTING SOLUTION
BT71XRDX	Mini Cannon	1x 25	4 options	50 yds	Unlimited	7.4	3	Unlimited	.5 MOA	100+ MOA	12	Red	Picatinny
BT71XPS	Lil P	1x	TBD	50 yds	70	8	2.5	90	1 MOA	100+ MOA	12	Red	Picatinny
BT71X37	Big D	1x 37	5 MOA Dot	50 yds	Unlimited	13.2	3	Unlimited	1 MOA	100+ MOA	6	Red	Picatinny

AR OPTICS® RIFLESCOPES

	SKU	NAME	MAG X OBJ LENS	RETICLE	FOCAL PLANE	ELEVATION TRAVEL MOA	WINDAGE TRAVEL MOA	TRAVEL PER REVOLUTION	TUBE SIZE	EYE RELIEF (MAX POWER) (IN)	FIELD OF VIEW FT. @ 100 YARDS	WEIGHT (OZ)	LENGTH (IN)
Ī	AR71824I	AR Optics	1-8x 24	TBD	First	120 MOA	140 MOA	6 Mil	30mm	4	TBD	TBD	TBD
	AR71424BI	AR Optics	1-4x 24	BTR-300 AAC	First	120 MOA	140 MOA	6 Mil	30mm	3.5	112'@1x / 27'@4x	18	9.4
	AR71424I	AR Optics	1-4x 24	BTR-2	First	120 MOA	140 MOA	6 Mil	30mm	3.5	112'@1x / 27'@4x	18	9.4
	AR71424	AR Optics	1-4x 24	DZ 223	Second	120 MOA	140 MOA	6 Mil	30mm	3.5	112'@1x / 27'@4x	17	9.4
	AR72736	AR Optics	2-7x 36	DZ 22LR	Second	50 MOA	85 MOA	6 Mil	1"	3.5	44'@2x / 12'@7x	18	11.3
	AR73940	AR Optics	3-9x4 0	DZ 223	Second	50 MOA	85 MOA	6 Mil	1"	3.5	29'@3x / 11'@9x	19	12
	AR731240	AR Optics	3-12x 40	DZ 223	Second	50 MOA	85 MOA	6 Mil	1"	3.5	29'@3x / 7'@12x	19	12
	AR741840	AR Optics	4.5-18x4 0	DZ 223	Second	50 MOA	85 MOA	6 Mil	1"	3.5	22'@4.5x / 6'@18x	20	13.3
	AR741840B	AR Optics	4.5-18x 40	DZ 308	Second	50 MOA	85 MOA	6 Mil	1"	3.5	22'@4.5x / 6'@18x	20	12.3
	AR741840C	AR Optics	4.5-18x 40	DZ 6.5	Second	50 MOA	85 MOA	6 Mil	1"	3.5	22'@4.5 / 6'@18	20	12.3
	AR741840D	AR Optics	4.5-18x 40	DZ 224V	Second	50 MOA	85 MOA	6 Mil	1"	3.5	22'@4.5 / 6'@18	20	12.3

AR OPTICS® RED DOTS




FIELD OF EYE VIEW FT. WEIGHT LENGTH RELIEF CLICK ADJ BRIGHTNESS RETICLE MOUNTING @ 100 (OZ) (IN) (MAX POWER) VALUE RANGE SETTINGS COLOR SOLUTION @ 100 (OZ) (IN) YARDS Unlimited 1 MOA Red Picatinny 1x 26 Unlimited First Strike 2.0 Pic, High or Unlimited 1 MOA AR71XRS 4 MOA Dot Unlimited TBD 50 yds TBD Pic, High or AR751305 1x 35 2 MOA Dot Enrage Unlimited Low Pic, High or AR750132 Incinerate 1x 37 Circle Dot 50 yds Unlimited 11.5 4.7 Unlimited Weaver, Glock 5 MOA Dot Unlimited Unlimited Plate #1 Acceler-ate 5 red/5 Red and AR750010 4x 32 BTR-3 25' Picatinny green Green Picatinny, Ambidextrous N/A (magnifier) AR731304 Transition 3x 24 N/A Flip to Side, 30mm ring

AR OPTICS LASERS

SKU	NAME	FURNITURE	MOUNT	WEIGHT (OZ)	LASER COLOR	WAVELENGTH	OUTPUT POWER	CLASS	WATERPROOF	BORE LOCATION
AR1001BR	Haste	Foregrip	Picatinny	3.8	Red	635 nm	<5 mw	IIIa	Yes	Under Bore
AR1002BR	Chase	Flip up Sight	Picatinny	2.7	Red	635 nm	<5 mw	IIIa	Yes	Over Bore
AR1003BR	Rush	Hi Rise Mount	Picatinny	3.4	Red	635 nm	<5 mw	Illa	Yes	Offset

RETICLES







FOLLOW US ON: 😈 🧗



