











| Model | Escort Trophy | |
|-------------------|--------------------------------------|--|
| Gauge | 12 GA (Gas Operated) | |
| Chamber | 3 " - 76mm Magnum | |
| Stock & Forend | Turkish walnut | |
| Recoil Pad | DuoTex Rubber | |
| Receiver | Black anodised air craft alloy | |
| Barrel | Black chrome finished Ni-Cr-Mo steel | |
| Barrel Length | 28" / 71cm | |
| Barrel Rib | 7 mm | |
| Chokes | F, IM, M, IC, CYL, Extra Full | |
| Safety | Manual cross button | |
| Magazine Capacity | 4+1 | |
| Sights | Fiber optic front sight | |
| Overall Length | 48" / 122 cm | |
| Avareage Weight | 7.4lbs / 3.3kg | |
| Length of Pull | 14.4" / 365mm | |
| Drop at Comb | 1.45" / 37mm | |
| Drop at Heel | 2.2" / 57mm | |

- Hunting purpose 12gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Ergonomic & stylish design Turkish walnut stock and fore-end with checkering.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- DuoTex rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Capability of firing both 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- · Checkered & ventilated anti-glare rib with fiber optic front sight fitted.
- Steel shot suitable and extended multi 5 chokes F, IM, M, IC, and CYL. Plus an additional Extra Full choke.
 Total 6 extended chokes included.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 6 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.
- Comes in its exclusive design rugged hard case with polyurethane padding.



Steel shot suitable and extended multi 5 chokes F, IM, M, IC, CYL.

Plus an additional Extra Full choke.

Duo

DuoTex butt stock offers two important confidence building features for the shooter. The DuoTex's smooth, non-stick upper surface provides for faster shouldering, while the rough textured lower surface stops the gun properly and securely into place.





3 stock spacers to extend stock length of pull.






| Model | Escort Vision |
|-------------------|--------------------------------------|
| Gauge | 12 GA (Gas Operated) |
| Chamber | 3 " - 76mm Magnum |
| Stock & Forend | Turkish walnut |
| Recoil Pad | DuoTex Rubber |
| Receiver | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm |
| Barrel Rib | 7 mm |
| Chokes | F, IM, M, IC, CYL |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sights | Fiber optic front sight |
| Overall Length | 48" / 122cm |
| Avareage Weight | 7.4lbs / 3.3kg |
| Length of Pull | 14.4" / 365mm |
| Drop at Comb | 1.45" / 37mm |
| Drop at Heel | 2.2" / 57mm |

- Hunting purpose 12gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Ergonomic & stylish design Turkish walnut stock and fore-end with checkering.
- Oil finished stock and fore-end.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- DuoTex rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- · Gold plated metal trigger.
- Capability of firing both 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.





DuoTex butt stock offers two important confidence building features for the shooter. The DuoTex's smooth, non-stick upper surface provides for faster shouldering, while the rough textured lower surface stops the gun properly and securely into place.



| Model | Escort Vision SLG |
|-------------------|--------------------------------------|
| Gauge | 12 GA (Gas Operated) |
| Chamber | 3 " - 76mm Magnum |
| Stock & Forend | Turkish walnut |
| Recoil Pad | DuoTex Rubber |
| Receiver | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 24" / 61cm |
| Barrel Rib | - |
| Chokes | Fixed Cylinder |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sights | Fiber optic rear & front sight |
| Overall Length | 44" / 111cm |
| Avareage Weight | 6.8lbs / 3.1kg |
| Length of Pull | 14.4" / 365mm |
| Drop at Comb | 1.45" / 37mm |
| Drop at Heel | 2.2" / 57mm |
| | |





ESCORT VISION PLUS



Serious. Solid. Impact.



| Model | Escort Vision Plus |
|-------------------|--------------------------------------|
| Gauge | 12 GA (Gas Operated) |
| Chamber | 3 " - 76mm Magnum |
| Stock & Forend | High grade Turkish walnut |
| Recoil Pad | DuoTex Rubber |
| Receiver | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm |
| Barrel Rib | 7 mm |
| Chokes | F, IM, M, IC, CYL, Extra Full |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sights | Fiber optic front sight |
| Overall Length | 48" / 122 cm |
| Avareage Weight | 7.4lbs / 3.3kg |
| Length of Pull | 14.4" / 365mm |
| Drop at Comb | 1.45" / 37mm |
| Drop at Heel | 2.2" / 57mm |

- Hunting purpose 12gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Ergonomic & stylish design, glossy finish high grade Turkish walnut stock and fore-end with checkering.
- Glossy barrel (matt finish is available upon demand).
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- DuoTex rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Capability of firing both 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib with fiber optic front sight fitted.
- Steel shot suitable and extended multi 5 chokes F, IM, M, IC, CYL. Plus an additional Extra Full choke.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.
- Comes in its exclusive design rugged hard case with polyurethane padding.



Duo

DuoTex butt stock offers two important confidence building features for the shooter. The DuoTex's smooth, non-stick upper surface provides for faster shouldering, while the rough textured lower surface stops the gun properly and securely into place.



Steel shot suitable and extended multi 5 chokes F, IM, M, IC, CYL.

Plus an additional Extra Full choke.

ESCORT Vision Plus-SLG

24"/61cm slug barrel version with adjustable fiber optic sights. 18"/46cm, 20"/51cm and 22"/55cm barrels are available.

| Model | Escort Vision Plus SLG | |
|-------------------|--------------------------------------|--|
| Gauge | 12 GA (Gas Operated) | |
| Chamber | 3 " - 76mm Magnum | |
| Stock & Forend | High grade Turkish walnut | |
| Recoil Pad | DuoTex Rubber | |
| Receiver | Black anodised air craft alloy | |
| Barrel | Black chrome finished Ni-Cr-Mo steel | |
| Barrel Length | 24" / 61cm | |
| Barrel Rib | - | |
| Chokes | Fixed Cylinder | |
| Safety | Manual cross button | |
| Magazine Capacity | 4+1 | |
| Sights | Fiber optic rear & front sight | |
| Overall Length | 44" / 111 cm | |
| Avareage Weight | 6.8lbs / 3.1kg | |
| Length of Pull | 14.4" / 365mm | |
| Drop at Comb | 1.45" / 37mm | |
| Drop at Heel | 2.2" / 57mm | |



Stylish design engraving on the left side of the receiver.











Hybrid Cycling System

even easier than ever.

comfort.

Hatsan's patented Hybrid Cycling System combines the best features from each of the two traditional cycling operating systems. Recoil is low, while cycle rate and effective range are high. It will cycle light loads like a traditional gas system, but

uses much less gas to do so – which means you don't have to

clean as frequently. Disassembly/assembly is much simpler, as well, making maintenance

Hybrid Cycling System (HCS) brings together the perfect combination of speed, range, and















Pistol grip stock version with 24"/61cm slug barrel and adjustable fiber optic sights.

| Model | Escort Dynamax | Escort Dynamax SLG | Escort Dynamax PGS | Escort Dynamax PGS-SLG |
|-------------------|--------------------------------------|--------------------------------------|---|---|
| Gauge | 12 GA (Kinetic + Gas Dual System) | 12 GA (Kinetic + Gas Dual System) | 12 GA (Kinetic + Gas Dual System) | 12 GA (Kinetic + Gas Dual System) |
| Chamber | 3 " - 76mm Magnum | 3 " - 76mm Magnum | 3 " - 76mm Magnum | 3 " - 76mm Magnum |
| Stock & Forend | Synthetic | Synthetic | Synthetic pistol grip stock with shotshell holder | Synthetic pistol grip stock with shotshell holder |
| Recoil Pad | Rubber | Rubber | Rubber | Rubber |
| Receiver | Steel | Steel | Steel | Steel |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm | 24" / 61cm | 28" / 71cm | 24" / 61cm |
| Barrel Rib | 7 mm | - | 7 mm | - |
| Chokes | F, IM, M, IC, CYL | Fixed Cylinder | F, IM, M, IC, CYL | Fixed Cylinder |
| Safety | Manual cross button | Manual cross button | Manual cross button | Manual cross button |
| Magazine Capaicty | 4+1 | 4+1 | 4+1 | 4+1 |
| Sights | Fiber optic front sight | Fiber optic rear & front sight | Fiber optic front sight | Fiber optic rear & front sight |
| Overall Length | 50" / 127cm | 46" / 117cm | 50" / 127cm | 46" / 117cm |
| Average Weight | 7lbs / 3.2kg | 6.8lbs / 3.1kg | 7.7lbs / 3.5kg | 7.2lbs / 3.3kg |
| Length of Pull | 14 3/8" / 365 | 14 3/8" / 365mm | 14 3/8" / 365mm | 14 3/8" / 365mm |
| Drop at Comb | 1 3/5" / 40 | 1 3/5" / 40mm | 1 3/5" / 40mm | 1 3/5" / 40mm |
| Drop at Heel | 2 5/9" / 65 | 2 5/9" / 65mm | 2 5/9" / 65mm | 2 5/9" / 65mm |



- 12 gauge, 3"/76mm magnum chamber, Kinetic + Gas Dual System semi auto shotgun.
- Hybrid Cycling System (HCS) brings together the perfect combination of speed, range, and comfort.
- 2-Piece modular system. Stock / Trigger group module & Barrel / Receiver module.
- 2-Piece Modular design makes Escort Dynamax shotgun the world's fastest and easiest to assemble and disassemble. The assembly or disassembly is done in a few seconds!
- Single piece stock-forend with shock absorber and flexible DynaComb cheek piece.
- DynaComb is made of special elastic material. It provides superior reduction in felt recoil on cheek and increases shooting comfort.
- DaSoft® finish on stock providing durability and soft touch feel.
- Steel receiver with 11mm groove for scope mounts.

- Capability of firing both 3"/76mm and 2 3/4" / 70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
 All barrels are Proof Tested.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76mm.

Realtree Max4HD camo stock and flat dark earth cerakote finish barrel/receiver module.

- Checkered & ventilated anti-glare rib.
- Fiber optic front sight.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Detachable sling swivels.







| Model | Escort Dynova | |
|-------------------|--------------------------------------|--|
| Gauge | 12 GA (Kinetic System) | |
| Chamber | 3 " - 76mm Magnum | |
| Stock & Forend | High grade Turkish walnut | |
| Recoil Pad | Rubber | |
| Receiver | Black anodised air craft alloy | |
| Barrel | Black chrome finished Ni-Cr-Mo steel | |
| Barrel Length | 28" / 71cm | |
| Barrel Rib | 7mm | |
| Chokes | F, IM, M, IC, CYL | |
| Safety | Manual cross button | |
| Magazine Capacity | 4+1 | |
| Sight | Fiber optic front sight | |
| Overall Length | 49" / 125cm | |
| Average Weight | 7.2lbs / 3.25kg | |
| Length of Pull | 14 3/8" / 365mm | |
| Drop at Comb | 1 1/6" / 30mm | |
| Drop at Heel | 2" / 50mm | |

| Model | Escort Dynova-SLG |
|-------------------|--------------------------------------|
| Gauge | 12 GA (Kinetic System) |
| Chamber | 3 " - 76mm Magnum |
| Stock & Forend | High grade Turkish walnut |
| Recoil Pad | Rubber |
| Receiver | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 24" / 61cm |
| Barrel Rib | - |
| Chokes | Fixed Cylinder |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sight | Fiber optic rear & front sight |
| Overall Length | 45" / 115cm |
| Average Weight | 6.6lbs / 3kg |
| Length of Pull | 14 3/8" / 365mm |
| Drop at Comb | 1 1/6" / 30mm |
| Drop at Heel | 2" / 50mm |
| | |

- 12 gauge, 3"/76mm magnum chamber, kinetic (inertia) system semi auto shotgun.
- Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 ¾" / 70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
 All barrels are Proof Tested.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76mm.
- Checkered & ventilated anti-glare rib.
- Red fiber optic front sight.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Gold plated trigger.
- Sling swivels.



ESCORT Dynova SYN

- Synthetic stock version.
- Elevation adjustable cheek piece.

| Model | Escort Dynova SYN | |
|-------------------|--------------------------------------|--|
| Gauge | 12 GA (Kinetic System) | |
| Chamber | 3 " - 76mm Magnum | |
| Stock & Forend | Synthetic | |
| Recoil Pad | Rubber | |
| Receiver | Black anodised air craft alloy | |
| Barrel | Black chrome finished Ni-Cr-Mo steel | |
| Barrel Length | 28" / 71cm | |
| Barrel Rib | 7mm | |
| Chokes | F, IM, M, IC, CYL | |
| Safety | Manual cross button | |
| Magazine Capacity | 4+1 | |
| Sight | Fiber optic front sight | |
| Overall Length | 49" / 125cm | |
| Average Weight | 6.8lbs / 3.1kg | |
| Length of Pull | 14 3/8" / 365mm | |
| Drop at Comb | 1 1/6" / 30mm | |
| Drop at Heel | 2" / 50mm | |

| Model | Escort Dynova SYN-SLG |
|-------------------|--------------------------------------|
| Gauge | 12 GA (Kinetic System) |
| Chamber | 3 " - 76mm Magnum |
| Stock & Forend | Synthetic |
| Recoil Pad | Rubber |
| Receiver | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 24" / 61cm |
| Barrel Rib | - |
| Chokes | Fixed Cylinder |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sight | Fiber optic rear & front sight |
| Overall Length | 45" / 115cm |
| Average Weight | 6.4lbs / 2.9kg |
| Length of Pull | 14 3/8" / 365mm |
| Drop at Comb | 1 1/6" / 30mm |
| Drop at Heel | 2" / 50mm |





| Model | Hatsan SX12 |
|-------------------|--------------------------------------|
| Gauge | 12 GA (Kinetic System) |
| Chamber | 3 " - 76mm Magnum |
| Stock & Forend | Turkish walnut |
| Recoil Pad | Rubber |
| Receiver | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm |
| Barrel Rib | 7mm |
| Chokes | F, IM, M, IC, CYL |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sight | Fiber optic front sight |
| Overall Length | 49" / 125cm |
| Average Weight | 7lbs / 3.15kg |
| Length of Pull | 14 3/8" / 365mm |
| Drop at Comb | 1 1/6" / 30mm |
| Drop at Heel | 2" / 50mm |

- 12 gauge, 3"/76mm magnum chamber, kinetic (inertia) semi auto shotgun.
- Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 ¾" / 70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm
- Checkered & ventilated anti-glare rib.
- Red fiber optic front sight.
- Multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Sling swivels.



| Hatsan RV12 | |
|--------------------------------------|--|
| 12 GA (Kinetic System) | |
| 3 " - 76mm Magnum | |
| Turkish walnut | |
| Rubber | |
| Black anodised air craft alloy | |
| Black chrome finished Ni-Cr-Mo steel | |
| 28" / 71cm | |
| 7mm | |
| F, IM, M, IC, CYL | |
| Manual cross button | |
| 4+1 | |
| Fiber optic front sight | |
| 49" / 125cm | |
| 7lbs / 3.15kg | |
| 14 3/8" / 365mm | |
| 1 1/6" / 30mm | |
| 2" / 50mm | |
| | |

- 12 gauge, 3"/76mm magnum chamber, kinetic (inertia) semi auto shotgun.
- Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 3/4" / 70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Red fiber optic front sight.
- Multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory migratory plug decreasing capacity to 2+1.
- Manual cross-button trigger safety.
- Sling swivels.





CORT SUPREMEMAX/XTREMEMAX TECHNOLOGIES

3 1/2" - 89mm Double Magnum

Serious. Solid. Impact.

Stock Length of Pull Spacers



Three stock length of pull spacers that fit between stock and recoil pad are standard. The stock length of pull can be extended by increments of 5mm (1/5") by simply inserting one or more of these spacers. With these spacers any shooter can perfectly fit the stock length of pull which provides easier shouldering of the shotgun, faster swing on targets and less felt recoil.

The receivers are made of aluminum alloy (Ergal) material which is very light in weight but very resistant against high pressures. The black anodize plating on the receiver not only gives extra durability but also provides a life-time coating. Glossy or matt finish receivers are available.

The nickel-chromium-molybdenum steel barrels are standard for all Escorts. Hard white chrome plated bore and chamber provides maximum durability for any kind of shot shells including steel or tungsten shot; and provides maximum corrosion resistance, besides it is easier to clean.

Outside of the barrel is hard chrome plated again providing life-time maximum corrosion resistance. Barrels are available in matt or glossy finish.

The bolts of all Escorts are made of nickel-chromiummolybdenum steel and are hard chrome plated for longer life, less friction and maximum corrosion resistance.

> 3 1/2" - 89mm double magnum chamber which can handle all 12 gauge loads in a single shotgun.

Escort Choke Tubes

All Escort shotguns (except for slug barrels) come with 5 mobile chokes: Full (F), Improved Modified (IM), Modified



(M), Improved Cylinder (IC) Cylinder (CYL). Extra full choke is available upon request. M, IC and CYL choke tubes are good for steel shots.

Magazine Cut-Off


By pressing this button, you can retain shells in the magazine and can eject a shell from the chamber without feeding another one from the magazine.

Stock Drop & Cast Adjustment Shims



3 stock drop shims and 1 stock cast shim. You can adjust the stock drop & stock cast perfectly fitting yourself and your shooting style by simply inserting one or more of the four special shims between the receiver and stock.


STOCK DROP SPACERS | STOK CAST SPACERS





Escort Fast Loading System

Escort Fast Loading System enables faster and easier loading into the magazine with one hand in the reliable double bar system. Escort's patented Fast Loading System provides faster loading of shot shells into the magazine without changing the aiming position. It also unlocks the bolt which is locked at the rear. Both the carrier and fast loading button are hard chrome plated for longer life and maximum corrosion resistance. Fast Loading System is standard on all Escort semi auto shotguns.




SmartMAX Piston

The new SmartMAX piston is specially designed for 3 1/2"

(89mm) chamber Escort SupremeMAX and Escort XtremeMAX. The SmartMAX piston automatically adjusts the exact & reliable gas pressure needed for a wide range of loads from 7/8 oz (24gr) shot load to heavy 2 3/8 oz (66gr) load double magnum shells. When firing light loads almost all of the gases are used to operate the action and only a small portion is exhausted. When firing heaviest magnum & double magnum loads most of the gases are exhausted and only a portion of the gases are used to operate the action. Escort's patented SmartMAX piston automatically self adjusts this reliably even if you mix different size & weight shot shells in the magazine and allows the shooter to fire any 12 gauge load in seconds. Also, thanks to the SmartMAX Piston, most of the recoil is eliminated before it reaches your shoulder giving shooting conformance, reduced barrel rise and faster swing on targets.



When firing heaviest magnum & double magnum shells; excess gas pressure opens the front valve of the SmartMAX piston and excessive gas pressure is exhausted. SmartMAX piston automatically self adjusts the necessary gas pressure needed to operate the action and the excess gases exhaust upwards from the sides of the forend. As the majority of the excess gas pressure is absorbed due to SmartMAX Piston, most of the recoil is eliminated before reaching your shoulder and other inner parts of the shotgun are protected against high pressure impacts.



When firing light loads; almost all of the gas pressure is used to operate the action and only a small portion is exhausted. Because the gas pressure is relatively smaller in light loads, the gas pressure cannot open the front valve of the SmartMAX piston. Hence only a small portion is exhausted and the majority is used to operate the action.

ESCORT SUPREMEMAX

JPREMEMAX
3 ½" - 89mm Double Magnum

High grade Turkish walnut stock in glossy finish

Serious. Solid. Impact.



| Model Escort SupremeMAX | |
|--|------|
| | |
| Gauge 12 GA (Gas Operated) | |
| Chamber 3"½ - 89mm Double Magnum | 1 |
| Stock & Fore-end High grade Turkish walnut | |
| Recoil Pad Rubber | |
| Receiver Black anodized aircraft alloy | |
| Barrel Black chrome finished Ni-Cr-Mo | teel |
| Barrel Length 28" / 71cm | |
| Barrel Rib 7mm | |
| Chokes F, IM, M, IC, CYL | |
| Safety Manual cross button | |
| Magazine Capacity 4+1 | |
| Sight Fiber optic front sight | |
| Overall Length 48" / 122cm | |
| Average Weight 7.7lbs / 3.5kg | |
| Length of Pull 14 3/8" / 365mm | |
| Drop at Comb 1 5/8" / 41mm | |
| Drop at Heel 2 1/2" / 63,5mm | |

- Flawless performance on all 12 gauge shot shells. Flawless performance on all 2 ¾"- 70mm, 3"- 76mm & 3 ½"- 89mm shot shells from 24gr (7/8 oz) light loads to 66gr (2 3/8 oz) heavy load double magnum shells.
- Hunting purpose 12 gauge, 3 ½" 89mm double magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & SmartMAX Piston.
- Glossy finish high class Turkish walnut stock and fore-end with checkering.
- Glossy finish receiver & barrel.
- Black anodized aircraft alloy receiver with 11mm groove for scope mounts.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Oxidation Proof Chrome plated barrels made of

- Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increases capacity to 7+1.
- Accessory migratory plug decreases capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- · Sling swivels.



Flawless performance on all 12 gauge shot shells, from 24 g to 66 g. (7/8 to 2 3/8 oz)

ESCORT SUPREMEMAX-SLG 3 ½" - 89mm Double Magnum

| Model | Escort SupremeMAX-SLG |
|-------------------|--------------------------------------|
| Gauge | 12 GA (Gas Operated) |
| Chamber | 3"½ - 89mm Double Magnum |
| Stock & Fore-end | High grade Turkish walnut |
| Recoil Pad | Rubber |
| Receiver | Black anodized aircraft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 24" / 61cm |
| Barrel Rib | - |
| Chokes | Fixed Cylinder |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sight | Fiber optic rear & front sight |
| Overall Length | 44" / 111cm |
| Average Weight | 7.2lbs / 3.3kg |
| Length of Pull | 14 3/8" / 365mm |
| Drop at Comb | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63,5mm |

- 24"/61cm slug barrel with adjustable fiber optic rear sight & adjustable fiber optic front sight.
- Flawless performance on all 12 gauge shot shells. Flawless performance on all 2 ¾" 70mm, 3" 76mm & 3 ½" 89mm.
- shot shells from 24gr (7/8 oz) light loads to 66gr (2 3/8 oz) heavy load double magnum shells.
- Hunting purpose 12 gauge, 3 ½"- 89mm double magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & SmartMAX Piston.
- Glossy finish high class Turkish walnut stock and fore-end with checkering.
- Glossy finish receiver & barrel.
- Black anodized aircraft alloy receiver with 11mm groove for scope mounts.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increases capacity to 7+1
- Accessory migratory plug decreases capacity to 2+1.

- Comes with 4 stock shims to adjust stock drop and cast
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.










| Model | Escort XtremeMAX | |
|-------------------|--------------------------------------|--|
| Gauge | 12 GA (Gas Operated) | |
| Chamber | 3" ½ - 89mm Double Magnum | |
| Stock & Fore-end | Synthetic | |
| Recoil Pad | Rubber | |
| Receiver | Black anodized aircraft alloy | |
| Barrel | Black chrome finished Ni-Cr-Mo steel | |
| Barrel Length | 28" / 71cm | |
| Barrel Rib | 7mm | |
| Available Chokes | F, IM, M, IC, CYL | |
| Safety | Manual cross button | |
| Magazine Capacity | 4+1 | |
| Sight | Fiber optic front sight | |
| Overall Length | 48" / 122cm | |
| Average Weight | 7.5lbs / 3.4kg | |
| Length of Pull | 14 3/8" / 365mm | |
| Drop at Comb | 1 5/8" / 41mm | |
| Drop at Heel | 2 1/2" / 63,5mm | |

- Flawless performance on all 12 gauge shot shells. Flawless performance on all 2 ¾" 70mm, 3" 76mm & 3 ½" 89mm shot shells from 24gr (7/8 oz) light loads to 66gr (2 3/8 oz) heavy load double magnum shells.
- Hunting purpose 12 gauge, 3 ½" 89mm double magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & SmartMAX Piston.
- Glossy finish receiver & barrel.
- Black anodized aircraft alloy receiver 11mm groove for scope mounts.
- Black synthetic stock with rubber inlays for better control & feel.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increases capacity to 7+1.
- Accessory migratory plug decreases capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.





| Model | Escort XtremeMAX-SLG |
|-------------------|--------------------------------------|
| Gauge | 12 GA (Gas Operated) |
| Chamber | 3" ½ - 89mm Double Magnum |
| Stock & Fore-end | Synthetic |
| Recoil Pad | Rubber |
| Receiver | Black anodized aircraft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 24" / 61cm |
| Barrel Rib | - |
| Available Chokes | Fixed Cylinder |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sight | Fiber optic rear & front sight |
| Overall Length | 44" / 111cm |
| Average Weight | 7lbs / 3.2kg |
| Length of Pull | 14 3/8" / 365mm |
| Drop at Comb | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63,5mm |







ESCORT SEMI AUTO TECHNOLOGIES

3" / 76mm Magnum

Serious. Solid. Impact.

Stock Length of Pull Spacers



Escort Supreme, Escort Xtreme and other wood stock Escort shotguns come with three stock length of pull spacers that fit between stock and recoil pad. The stock length of pull can be extended by increments of 5mm

(1/5") by simply inserting one or more of these spacers. With these spacers any shooter can perfectly fit the stock length of pull which provides him an easier shouldering of the shotgun, faster swing on targets and less felt recoil. On all other synthetic stock Escorts; Small, Medium and Large size recoil pads are available as an option. Medium size recoil pad comes on the shotgun as

standard which provides 36cm (14 1/5") stock length of pull . This can be shortened by 5mm (1/5") and extended by 5mm (1/5") when Small & Large size recoil pad is fitted respectively.

Escorts are made of aluminum alloy (Ergal) material which is very light in weight but very resistant against high pressures. The black anodize plating on the receiver not only gives extra durability but also provides a lifetime coating. Glossy or matt finish receivers are available.

The receivers of all

The bolts of all Escorts are made of nickel-chromium-molybdenum steel and are hard chrome plated for longer life, less friction and maximum corrosion resistance.

The nickel-chromium-molybdenum steel barrels are standard for all Escorts. Hard white chrome plated bore and chamber provides maximum durability for any kind of shot shells including steel or tungsten shots; and provides maximum corrosion resistance, besides it is easier to clean.


Outside of the barrel is hard chrome plated again providing life-time maximum corrosion resistance. Barrels are available in matt or glossy finish.






3 stock drop shims and 1 stock cast shim. You can adjust the stock drop & stock cast perfectly fitting yourself and your shooting style by simply inserting one or more of the four special shims between the receiver and stock.

STOCK DROP SPACERS | STOK CAST SPACERS





Magazine Cut-Off

By pressing this button, you can retain shells in the magazine and can eject a shell from the chamber without feeding another one from the magazine.


Escort Choke Tubes

All Escort shotguns (except for slug barrels) come with 5 mobile chokes: Full (F), Improved Modified (IM), Modified (M), Improved Cylinder (IC)



(M), Improved Cylinder (IC) and Cylinder (CYL). Extra full choke is available upon request. M, IC and CYL choke tubes are good for steel shots.

Escort Fast Loading System





(57gr) magnum loads. When firing light loads almost all of the gases are used to operate the action and only a small portion is exhausted. When firing heaviest magnum & double magnum loads most of the gases are exhausted and only a portion of the gases are used to operate the action. Escort's patented Smart Valve Piston automatically self adjusts this reliably even if you mix different size & weight shot shells in the magazine and Escort shoots them all. Also, thanks to the Smart Valve Piston, most of the recoil is eliminated before it reaches your shoulder giving shooting conformance, reduced barrel lift and faster swing on targets. Smart Valve Piston is standard on all Escort semi auto shotguns.



When firing heaviest magnum & double magnum shells; excess gas pressure opens the Smart Valve Piston and compresses the leaf spring. Smart Valve Piston automatically self adjusts the necessary gas pressure needed to operate the action and the excess gases exhaust upwards from the sides of the forend. As the majority of the excess gas pressure is absorbed thanks to Smart Valve Piston, most of the recoil is eliminated before reaching your shoulder and other inner parts of the shotgun are protected against high pressure impacts.



When firing light loads; almost all of the gas pressure is used to operate the action and only a small portion is exhausted. Because the gas pressure is relatively smaller in light loads, the gas pressure cannot open much the Smart Valve Piston and cannot compress the leaf spring. Hence only a small portion is exhausted and majority is used to operate the action.



High grade Turkish walnut stock in glossy finish


Serious. Solid. Impact.



| Model | Escort Supreme | Escort Supreme 20 |
|-------------------|--|--------------------------------------|
| Gauge | 12 GA (Gas Operated) | 20 GA (Gas Operated) |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | High grade Turkish walnut | High grade Turkish walnut |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm 28" / 71cm | |
| Barrel Rib | 7mm | 7mm |
| Chokes | F, IM, M, IC, CYL | F, IM, M, IC, CYL |
| Safety | Manual cross button | Manual cross button |
| Magazine Capacity | y 4+1 4+1 | |
| Sight | Fiber optic front sight Fiber optic front sigh | |
| Overall Length | yth 48" / 122cm 48" / 122cm | |
| Average Weight | 6.8lbs / 3.1kg 6.4lbs / 2.9kg | |
| Length of Pull | 14 3/8" / 365mm 14 3/8" / 365mm | |
| Drop at Comb | 1 5/8" / 41mm | |
| Drop at Heel | 2 1/2" / 63,5mm | 2 1/2" / 63,5mm |

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Glossy finish high class Turkish walnut stock and fore-end with checkering.
- Glossy finish receiver & barrel.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Capability of firing both 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
 All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.





- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Glossy finish high class Turkish walnut stock and fore-end with checkering.

| Model | Escort Supreme-SLG | Escort Supreme-SLG 20 |
|-------------------|---|--------------------------------------|
| Gauge | 12 GA (Gas Operated) | 20 GA (Gas Operated) |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | High grade Turkish walnut | High grade Turkish walnut |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 24" / 61cm | 24" / 61cm |
| Barrel Rib | | |
| Chokes | Fixed Cylinder | Fixed Cylinder |
| Safety | Manual cross button | Manual cross button |
| Magazine Capacity | y 4+1 4+1 | |
| Sight | Fiber optic rear & front sight Fiber optic rear & front sight | |
| Overall Length | 44" / 111cm | 44" / 111cm |
| Average Weight | 6.4lbs / 2.9kg 5.9lbs / 2.7kg | |
| Length of Pull | 14 3/8" / 365mm 14 3/8" / 365mm | |
| Drop at Comb | 1 5/8" / 41mm 1 5/8" / 41mm | |
| Drop at Heel | 2 1/2" / 63,5mm | 2 1/2" / 63,5mm |

- Glossy finish receiver & barrel.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Gold plated metal trigger.
- Capability of firing both 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
 All barrels are Proof Tested.
- Available barrel lengths: 18"/46cm, 20"/ 51, 22"/55cm, 24"/61cm.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.









- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun (Also available in 20 gauge).
- Fast Loading System & Smart Valve Piston.
- Glossy finish receiver & barrel.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Black synthetic stock with rubber inlays for better control & feel.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Flawless performance on all 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
 All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.



| AL 1.1 | 5 . V | F 4.W. GLG 20 |
|-------------------|---|--------------------------------------|
| Model | Escort Xtreme-SLG | Escort Xtreme-SLG 20 |
| Gauge | 12 GA (Gas Operated) | 20 GA (Gas Operated) |
| Chamber | 3 " - 76mm Magnum | 3 " - 76mm Magnum |
| Stock & Forend | Synthetic | Synthetic |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 24" / 61cm 24" / 61cm | |
| Barrel Rib | | |
| Chokes | Fixed Cylinder | Fixed Cylinder |
| Safety | Manual cross button Manual cross buttor | |
| Magazine Capacity | 4+1 4+1 | |
| Sight | Fiber optic rear & front sight | Fiber optic rear & front sight |
| Overall Length | 44" / 111cm 44" / 111cm | |
| Average Weight | 6.6lbs / 3kg 6.2lbs / 2.8kg | |
| Length of Pull | 365mm / 14.37" 365mm / 14.37" | |
| Drop at Comb | 41mm / 1.6" 41mm / 1.6" | |
| Drop at Heel | 63,5mm / 2.55" | 63,5mm / 2.55" |










48" / 122cm

6.6lbs / 3kg

Model **Escort Missione Escort Missione 20** Gauge 12 GA (Gas Operated) 20 GA (Gas Operated) Chamber 3" / 76mm Magnum 3" / 76mm Magnum Stock & Forend Synthetic-Walnut Camo Synthetic-Walnut Camo **Recoil Pad** Rubber Rubber Receiver White anodised air craft alloy with engraving White anodised air craft alloy with engraving Barrel Black chrome finished Ni-Cr-Mo steel Black chrome finished Ni-Cr-Mo steel **Barrel Length** 28" / 71cm 28" / 71cm Barrel Rib 7mm 7mm Chokes F, IM, M, IC, CYL F, IM, M, IC, CYL Safety Manual cross button Manual cross button Magazine Capacity 4+1 4+1 Fiber optic front sight Fiber optic front sight Sight

48" / 122cm

7lbs / 3.2kg



- Fast Loading System & Smart Valve Piston.
- Glossy finish receiver & barrel.
- White anodized air craft alloy receiver with engraving and 11mm groove for scope mounts.
- Walnut camo synthetic stock with rubber inlays for better control & feel.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels







Overall Length

Average Weight

ESCORT LUXANO & ESCORT TRIO



Serious. Solid. Impact.

High grade Turkish walnut stock & fore-end with oil polish



ESCORT Luxano





| Model | Escort Luxano | Escort Luxano 20 |
|-------------------|---|--|
| Gauge | 12 GA (Gas Operated) | 20 GA (Gas Operated) |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | High class Turkish walnut | High class Turkish walnut |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black & white anodised air craft alloy | Black & white anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm 28" / 71cm | |
| Barrel Rib | 7mm 7mm | |
| Available Chokes | F, IM, M, IC, CYL | F, IM, M, IC, CYL |
| Safety | Manual cross button Manual cross button | |
| Magazine Capacity | 4+1 4+1 | |
| Sight | Fiber optic front sight Fiber optic front sight | |
| Overall Length | 48" / 122cm 48" / 122cm | |
| Average Weight | 7lbs / 3.2kg 5.9lbs / 2.7kg | |
| Length of Pull | 14 3/8" / 365mm 14 3/8" / 365mm | |
| Drop at Comb | 1 5/8" / 41mm 1 5/8" / 41mm | |
| Drop at Heel | 2 1/2" / 63,5mm | 2 1/2" / 63,5mm |



Escort Luxano and Escort Trio has TRIOPAD® butt system with TRIOPAD® Stock Spacers. Recoil absorption is maximized with TRIOPAD® butt system which contributes to better shooting and to faster swing on targets. With 3 TRIOPAD® Stock Spacer stock length of pull can be extended to different lengths.

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun (also available in 3 ½"/89mm double magnum chamber).
- Fast Loading System & Smart Valve Piston.
- High class Turkish walnut stock and fore-end with oil polish and checkering.
- TRIOPAD® butt system for maximum recoil absorption.
- Comes with 3 TRIOPAD® stock spacers (each 5mm width) to extend stock length of pull.
- Black & white anodized air craft alloy receiver with relief engraving & 11mm groove for scope mounts.
- Gold plated metal trigger.
- Flawless performance on all 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare raised rib with fiber optic front sight fitted.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Magazine cut-off system for single shot.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.

ESCORT Trio

Synhetic Stock Version

| Model | Escort Trio | Escort Trio 20 |
|-------------------|---|--|
| Gauge | 12 GA (Gas Operated) | 20 GA (Gas Operated) |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | Synthetic | Synthetic |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black & white anodised air craft alloy | Black & white anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm 28" / 71cm | |
| Barrel Rib | 7mm | 7mm |
| Available Chokes | F, IM, M, IC, CYL | F, IM, M, IC, CYL |
| Safety | Manual cross button Manual cross button | |
| Magazine Capacity | 4+1 4+1 | |
| Sight | Fiber optic front sight | Fiber optic front sight |
| Overall Length | 48" / 122cm 48" / 122cm | |
| Average Weight | 7.3lbs / 3.3kg 6.2lbs / 2.8kg | |
| Length of Pull | 14 3/8" / 365mm 14 3/8" / 365mm | |
| Drop at Comb | 1 5/8" / 41mm | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63,5mm | 2 1/2" / 63,5mm |





| Model | Escort AS | Escort AS 20 |
|-------------------|---|--------------------------------------|
| Gauge | 12 GA (Gas Operated) | 20 GA (Gas Operated) |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | Turkish walnut | Turkish walnut |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm | 28" / 71cm |
| Barrel Rib | 6mm 6mm | |
| Available Chokes | F, IM, M, IC, CYL F, IM, M, IC, CYL | |
| Safety | Manual cross button Manual cross button | |
| Magazine Capacity | ty 4+1 4+1 | |
| Sight | Metal bead Metal bead | |
| Overall Length | gth 48" / 122cm 48" / 122cm | |
| Average Weight | 6.8lbs / 3.1kg 6.4lbs / 2.9kg | |
| Length of Pull | 14 3/8" / 365mm 14 3/8" / 365mm | |
| Drop at Comb | 1 5/8" / 41mm 1 5/8" / 41mm | |
| Drop at Heel | 2 1/2" / 63,5mm | 2 1/2" / 63,5mm |

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.Turkish walnut stock and fore-end with checkering.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 18"/46cm, 20"/51cm, 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- · Sling swivels.




| Model | Escort AS-SLG | Escort AS-SLG 20 |
|-------------------|--------------------------------------|--------------------------------------|
| Gauge | 12 GA (Gas Operated) | 20 GA (Gas Operated) |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | Turkish walnut | Turkish walnut |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 24" / 61cm | 24" / 61cm |
| Barrel Rib | - | - |
| Available Chokes | Fixed Cylinder | Fixed Cylinder |
| Safety | Manual cross button Manual cross but | |
| Magazine Capacity | pacity 4+1 4+1 | |
| Sight | Fiber optic rear & front sight | Fiber optic rear & front sight |
| Overall Length | 44" / 111cm 44" / 111cm | |
| Average Weight | 6.4lbs / 2.9kg 6.2lbs / 2.8kg | |
| Length of Pull | 14 3/8" / 365mm | 14 3/8" / 365mm |
| Drop at Comb | 1 5/8" / 41mm | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63 5mm | 2 1/2" / 63 5mm |



Elevation adjustable fiber optic rear sight





| Model | Escort AS-DM |
|-------------------|--------------------------------------|
| Gauge | 12 GA (Gas Operated) |
| Chamber | 3 ½" / 89mm Double Magnum |
| Stock & Fore-end | Turkish walnut |
| Recoil Pad | Rubber |
| Receiver | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm |
| Barrel Rib | 6mm |
| Available Chokes | F, IM, M, IC, CYL |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sight | Metal bead |
| Overall Length | 48" / 122cm |
| Average Weight | 7lbs / 3.2kg |
| Length of Pull | 14 3/8" / 365mm |
| Drop at Comb | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63,5mm |



| Model | Escort AS Youth |
|-------------------|--------------------------------------|
| Gauge | 20 GA (Gas Operated) |
| Chamber | 3" / 76mm Magnum |
| Stock & Fore-end | Turkish walnut |
| Recoil Pad | Rubber |
| Receiver | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 22" / 55cm |
| Barrel Rib | 6mm |
| Available Chokes | F, IM, M, IC, CYL |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sight | Metal bead |
| Overall Length | 41" / 104cm |
| Average Weight | 5.9lbs / 2.7kg |
| Length of Pull | 13" / 330mm |
| Drop at Comb | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63,5mm |
| | 2 2 63/5 |





| Model | Escort PS | Escort PS 20 |
|-------------------|--------------------------------------|--------------------------------------|
| Gauge | 12 GA (Gas Operated) | 20 GA (Gas Operated) |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | Synthetic | Synthetic |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm | 28" / 71cm |
| Barrel Rib | 6mm | 6mm |
| Available Chokes | F, IM, M, IC, CYL | F, IM, M, IC, CYL |
| Safety | Manual cross button | Manual cross button |
| Magazine Capacity | 4+1 | 4+1 |
| Sight | Metal bead | Metal bead |
| Overall Length | 48" / 122cm | 48" / 122cm |
| Average Weight | 7lbs / 3.2kg | 6.2lbs / 2.8kg |
| Length of Pull | 14 1/5" / 360mm | 14 1/5" / 360mm |
| Drop at Comb | 1 5/8" / 41mm | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63,5mm | 2 1/2" / 63,5mm |

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
 Flawless performance on all 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 18"/46cm, 20"/51cm, 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.



| Model | Escort PS-SLG | Escort PS-SLG 20 | |
|-------------------|--------------------------------------|--------------------------------------|--|
| Gauge | 12 GA (Gas Operated) | 20 GA (Gas Operated) | |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum | |
| Stock & Fore-end | Synthetic | Synthetic | |
| Recoil Pad | Rubber | Rubber | |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy | |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel | |
| Barrel Length | 24" / 61cm | 24" / 61cm | |
| Barrel Rib | - | - | |
| Available Chokes | Fixed Cylinder | Fixed Cylinder | |
| Safety | Manual cross button | Manual cross button | |
| Magazine Capacity | 4+1 | 4+1 | |
| Sight | Fiber optic rear & front sight | Fiber optic rear & front sight | |
| Overall Length | 44" / 111cm | 44" / 111cm | |
| Average Weight | 6.6lbs / 3.0kg | 5.9lbs / 2.7kg | |
| Length of Pull | 14 1/5" / 360mm | 14 1/5" / 360mm | |
| Drop at Comb | 1 5/8" / 41mm | 1 5/8" / 41mm | |
| Drop at Heel | 2 1/2" / 63 5mm | 2 1/2" / 63 5mm | |



Elevation adjustable fiber optic rear sight























| Model | Escort Slug Auto | Escort Slug Auto 20 |
|-------------------|--------------------------------------|--------------------------------------|
| Gauge | 12 GA (Gas Operated) | 20 GA (Gas Operated) |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | Synthetic | Synthetic |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 22" / 55cm | 22" / 55cm |
| Barrel Rib | - | - |
| Available Chokes | Fixed Cylinder | Fixed Cylinder |
| Safety | Manual cross button | Manual cross button |
| Magazine Capacity | 4+1 | 4+1 |
| Sight | Fiber optic rear & front sight | Fiber optic rear & front sight |
| Overall Length | 42" / 106cm | 42" / 106cm |
| Average Weight | 6.6lbs / 3.0kg | 6.2lbs / 2.8kg |
| Length of Pull | 14 1/5" / 360mm | 14 1/5" / 360mm |
| Drop at Comb | 1 5/8" / 41mm | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63,5mm | 2 1/2" / 63,5mm |

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun (also available in 3 ½"/89mm double magnum chamber).
- Fast Loading System & Smart Valve Piston.
- 22"/55cm slug barrel with welded cantilever for 22mm scope mounts.
- Fiber optic adjustable rear sight and front sight.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.
- Flawless performance on all 3"/76mm and 2 ¾"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.





ESCORT SLUG AUTO COMBO



Serious. Solid. Impact.



ESCORT Slug Auto Combo
One package for both deer & bird hunting. Comes with an additional 26"/66cm raised rib barrel with Hiviz Spark front sight fitted. The additional barrel is available in 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm length.

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber, gas operated semi auto shotgun. (also available in 3 ½"/89mm double magnum chamber).
- Fast Loading System & Smart Valve Piston.
- 22"/55cm slug barrel with welded cantilever for 22mm scope mounts and 26"/66cm raised rib barrel with Hiviz Spark front sight.
- Fiber optic adjustable rear sight on cantilever and fiber optic front sight on 22"/55cm barrel.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.
- Flawless performance on all 3"/76mm and 2 3/4"/70mm shells of 7/8 oz (24gr) shot load to heavy 2 oz (57gr) load magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- · Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.

| Model | Escort Slug Auto Combo 20 | | Escort Slug Auto Combo | |
|-------------------|--------------------------------------|-------------------|--------------------------------|--------------------|
| Gauge | 20 GA (Gas Operated) | | 12 GA (Gas Operated) | |
| Chamber | 3" / 76mm | n Magnum | 3" / 76mm Magnum | |
| Stock & Fore-end | Syntl | netic | Synthetic | |
| Recoil Pad | Rub | ber | Rubber | |
| Receiver | Black anodised | l air craft alloy | Black anodised | l air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | | Black chrome finish | ned Ni-Cr-Mo steel |
| Barrel Length | 22" / 55cm 26" / 66cm | | 22" / 55cm | 26" / 66cm |
| Barrel Rib | - 6mm | | - | 6mm |
| Available Chokes | Fixed Cylinder | F, IM, M, IC, CYL | Fixed Cylinder | F, IM, M, IC, CYL |
| Safety | Fiber optic rear & front sight | Hiviz Spark | Fiber optic rear & front sight | Hiviz Spark |
| Magazine Capacity | 4+1 | 4+1 | 4+1 | 4+1 |
| Sight | 42" / 106cm | 46" / 117cm | 42" / 106cm | 46" / 117cm |
| Overall Length | Manual cross button | | Manual cross button | |
| Average Weight | 6.2lbs / 2.8kg | | 6.6lbs / 3.0kg | |
| Length of Pull | 14 1/5" / 360mm | | 14 1/5" / 360mm | |
| Drop at Comb | 1 5/8" / 41mm | | 1 5/8" / 41mm | |
| Drop at Heel | 2 1/2" / | 63,5mm | 2 1/2" / | 63,5mm |









| Model | Escort PS-Double Magnum |
|-------------------|--------------------------------------|
| Gauge | 12 GA (Gas Operated) |
| Chamber | 3 ½"/89mm double magnum |
| Stock & Fore-end | Synthetic |
| Recoil Pad | Rubber |
| Receiver | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm |
| Barrel Rib | 6mm |
| Available Chokes | F, IM, M, IC, CYL |
| Safety | Manual cross button |
| Magazine Capacity | 4+1 |
| Sight | Metal bead |
| Overall Length | 48" / 122cm |
| Average Weight | 7.3lbs / 3.3kg |
| Length of Pull | 14 1/5" / 360mm |
| Drop at Comb | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63,5mm |

- Hunting purpose 12 gauge, 3 ½"/89mm double magnum chamber, gas operated semi auto shotgun.
- Fast Loading System & Smart Valve Piston.
- Black synthetic stock & fore-end with checkering.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
 Capability of firing loads from 1 1/8oz (32gr) to 2 3/8oz (66gr) double magnum shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
 Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
 Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Magazine cut-off system for single shot.
- Manual cross-button trigger safety.
- Sling swivels.



| Model | Escort PS Marine-DM | | |
|-------------------|---------------------------------------|--|--|
| Gauge | 12 GA (Gas Operated) | | |
| Chamber | 3 ½"/89mm double magnum | | |
| Stock & Fore-end | Synthetic | | |
| Recoil Pad | Rubber | | |
| Receiver | White nickel finished air craft alloy | | |
| Barrel | White nickel finished Ni-Cr-Mo steel | | |
| Barrel Length | 28" / 71cm | | |
| Barrel Rib | 6mm | | |
| Available Chokes | F, IM, M, IC, CYL | | |
| Safety | Manual cross button | | |
| Magazine Capacity | 4+1 | | |
| Sight | Metal bead | | |
| Overall Length | 48" / 122cm | | |
| Average Weight | 7.3lbs / 3.3kg | | |
| Length of Pull | 14 1/5" / 360mm | | |
| Drop at Comb | 1 5/8" / 41mm | | |
| Drop at Heel | 2 1/2" / 63.5mm | | |















ESCORT FIELDHUNTER



| Model | Escort FieldHunter | Escort FieldHunter 20 |
|-------------------|--------------------------------------|--------------------------------------|
| Gauge | 12 GA | 20 GA |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | Synthetic | Synthetic |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm | 28" / 71cm |
| Barrel Rib | 6mm | 6mm |
| Available Chokes | F, IM, M, IC, CYL | F, IM, M, IC, CYL |
| Safety | Manual cross button | Manual cross button |
| Magazine Capacity | 4+1 | 4+1 |
| Sight | Metal bead | Metal bead |
| Overall Length | 48" / 122cm | 48" / 122cm |
| Average Weight | 6.8lbs / 3.1kg | 6.3lbs / 2.85kg |
| Length of Pull | 14 1/5" / 360mm | 14 1/5" / 360mm |
| Drop at Comb | 1 5/8" / 41mm | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" 63,5mm | 2 1/2" 63,5mm |

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber pump action shotgun.
- Black synthetic stock & fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.



| Model | Escort FieldHunter-SLG | Escort FieldHunter-SLG 20 |
|-------------------|--------------------------------------|--------------------------------------|
| Gauge | 12 GA | 20 GA |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | Synthetic | Synthetic |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 24" / 61cm | 24" / 61cm |
| Barrel Rib | - | - |
| Available Chokes | Fixed Cylinder | Fixed Cylinder |
| Safety | Manual cross button | Manual cross button |
| Magazine Capacity | 4+1 | 4+1 |
| Sight | Fiber optic rear & front sight | Fiber optic rear & front sight |
| Overall Length | 44" / 111cm | 44" / 111cm |
| Average Weight | 6.3lbs / 2.85kg | 6.2lbs / 2.8kg |
| Length of Pull | 14 1/5" / 360mm | 14 1/5" / 360mm |
| Drop at Comb | 1 5/8" / 41mm | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" 63,5mm | 2 1/2" 63,5mm |



Elevation adjustable fiber optic rear sight









| Model | Escort Slug Pump | Escort Slug Pump 20 |
|-------------------|--------------------------------------|--------------------------------------|
| Gauge | 12 GA | 20 GA |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | Synthetic | Synthetic |
| Recoil Pad | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 22" / 55cm | 22" / 55cm |
| Barrel Rib | - | - |
| Available Chokes | Fixed Cylinder | Fixed Cylinder |
| Safety | Manual cross button | Manual cross button |
| Magazine Capacity | 4+1 | 4+1 |
| Sight | Fiber optic rear & front sight | Fiber optic rear & front sight |
| Overall Length | 42" / 106cm | 42" / 106cm |
| Average Weight | 6.6lbs / 3.0kg | 6.2lbs / 2.8kg |
| Length of Pull | 14 1/5" / 360mm | 14 1/5" / 360mm |
| Drop at Comb | 1 5/8" / 41mm | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63 5mm | 2 1/2" / 63 5mm |

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber pump action shotgun.
- 22"/55cm slug barrel with welded cantilever for 22 m scope mounts.
 Fiber optic adjustable rear sight and front sight.
- Black synthetic stock & fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.
 Capability of firing both 3"/76mm and 2 ¾"/70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
 All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.





ESCORT SLUG PUMP COMBO



Serious. Solid. Impact.



One package for both deer & bird hunting. Comes with an additional 26"/66cm raised rib barrel with Hiviz Spark front sight fitted. The additional barrel is available in 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm length.

- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber pump action shotgun.
- 22"/55cm slug barrel with welded cantilever for 22mm scope mounts and 26"/66cm raised rib barrel with Hiviz Spark front sight.
- Fiber optic adjustable rear sight on cantilever and fiber optic front sight on 22"/55cm barrel.
- Black synthetic stock & fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Rubber butt pad for recoil absorption.
- Black anodized air craft alloy receiver.

- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 4+1 rounds.
- Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.

| Model | Escort Slug Pump Combo | | Escort Slug Pump Combo 20 | | |
|-------------------|--|-------------------|--------------------------------|--------------------------------------|--|
| Gauge | 12 GA | | 20 GA | | |
| Chamber | 3" / 76mm | Magnum | 3" / 76mm Magnum | | |
| Stock & Fore-end | Synth | netic | Synthetic | | |
| Recoil Pad | Rub | ber | Rubber | | |
| Receiver | Black anodised | l air craft alloy | Black anodised | air craft alloy | |
| Barrel | Black chrome finished Ni-Cr-Mo steel | | Black chrome finish | Black chrome finished Ni-Cr-Mo steel | |
| Barrel Length | 22" / 55cm | 26" / 66cm | 22" / 55cm | 26" / 66cm | |
| Barrel Rib | - 6mm | | - | 6mm | |
| Available Chokes | Fixed Cylinder F, IM, M, IC, CYL | | Fixed Cylinder | F, IM, M, IC, CYL | |
| Sight | Fiber optic rear & front sight Hiviz Spark | | Fiber optic rear & front sight | Hiviz Spark | |
| Magazine Capacity | 4+1 | 4+1 | 4+1 | 4+1 | |
| Overall Length | 42" / 106cm | 46" / 117cm | 42" / 106cm | 46" / 117cm | |
| Safety | Manual cross button | | Manual cross button | | |
| Average Weight | 6.6lbs / 3.0kg | | 6.2lbs / 2.8kg | | |
| Length of Pull | 14 1/5" / 360mm | | 14 1/5" / 360mm | | |
| Drop at Comb | 1 5/8" / | 41mm | 1 5/8" / 41mm | | |
| Drop at Heel | 2 1/2" / | 63,5mm | 2 1/2" / 6 | 53,5mm | |









- Hunting purpose 12 or 20 gauge, 3"/76mm magnum chamber pump action shotgun.
- Turkish walnut stock and fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Rubber butt pad for recoil absorption & 3 stock spacers to extend stock length of pull.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Capability of firing both 3"/76mm and 2 ¾"/70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available barrel lengths: 22"/55cm, 24"/61cm, 26"/66cm, 28"/71cm and 30"/76cm.
- Checkered & ventilated anti-glare rib.
- Steel shot suitable multi 5 choke system (F, IM, M, IC, CYL).
- Magazine capacity: 4+1 rounds.
 Accessory magazine extension tube increasing capacity to 7+1.
- Accessory migratory plug decreasing capacity to 2+1.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.



| Model | Escort WS | Escort WS 20 | Escort WS-Youth |
|-------------------|---|---|---|
| Gauge | 12 GA | 20 GA | 20 GA |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum | 3" / 76mm Magnum |
| Stock & Fore-end | Turkish walnut | Turkish walnut | Turkish walnut |
| Recoil Pad | Rubber | Rubber | Rubber |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy | Black anodised air craft alloy |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Length | 28" / 71cm | 28" / 71cm | 22" / 55cm |
| Barrel Rib | 6mm | 6mm | 6mm |
| Available Chokes | F, IM, M, IC, CYL | F, IM, M, IC, CYL | F, IM, M, IC, CYL |
| Safety | Manual cross button | Manual cross button | Manual cross button |
| Magazine Capacity | 4+1 | 4+1 | 4+1 |
| Sight | Metal bead | Metal bead | Metal bead |
| Overall Length | 48" / 122cm | 48" / 122cm | 41" / 103cm |
| Average Weight | 7.5lbs / 3.4kg | 7lbs / 3.2kg | 6.41lbs / 2.9kg |
| Length of Pull | 14 3/8" / 365mm | 14 3/8" / 365mm | 14 3/8" / 365mm |
| Drop at Comb | 1 5/8" / 41mm | 1 5/8" / 41mm | 1 5/8" / 41mm |
| Drop at Heel | 2 1/2" / 63,5mm | 2 1/2" / 63,5mm | 2 1/2" / 63,5mm |

ESCORT WS-GUARD




Serious. Solid. Impact.



- magnum chamber pump action shotgun.
- 18" (46cm) or 20" (51cm) slug barrel with fiber optic front sight.
- Fixed cylinder choke for shot or slugs.
- Turkish walnut stock and fore-end with checkering.
- Long fore-end providing faster and shorter action.
- Black anodized air craft alloy receiver with 11mm groove for scope mounts.
- Rubber butt pad for recoil absorption.
- Capability of firing both 3"/76mm and 2 3/4"/70mm shells.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Magazine capacity: 7+1 rounds in 20"/51cm barrel, 5+1 in 18"/46cm barrels.
- Comes with 4 stock shims to adjust stock drop and cast.
- Manual cross-button trigger safety.
- Sling swivels.





ESCORT WS-SLG

24"/61cm slug barrel with fiber optic adjustable rear sight & adjustable fiber optic front sight fitted version.

18"/46cm, 20"/51cm, 22"/55cm barrels are available.

| Model | Escort WS-SLG | Escort WS-SLG 20 | |
|-------------------|---|---|--|
| Gauge | 12 GA | 20 GA | |
| Chamber | 3" / 76mm Magnum | 3" / 76mm Magnum | |
| Stock & Fore-end | Turkish walnut | Turkish walnut | |
| Recoil Pad | Rubber | Rubber | |
| Receiver | Black anodised air craft alloy | Black anodised air craft alloy | |
| Barrel | Black chrome finished Ni-Cr-Mo steel | Black chrome finished Ni-Cr-Mo steel | |
| Barrel Length | 24" / 61cm | 24" / 61cm | |
| Barrel Rib | - | - | |
| Available Chokes | Fixed Cylinder | Fixed Cylinder | |
| Safety | Manual cross button | Manual cross button | |
| Magazine Capacity | 4+1 | 4+1 | |
| Sight | Fiber optic rear & front sight | Fiber optic rear & front sight | |
| Overall Length | 44" / 111cm | 44" / 111cm | |
| Average Weight | 7lbs / 3.2kg | 6.6lbs / 3.0kg | |
| Length of Pull | 14 3/8" / 365mm | mm 14 3/8" / 365mm | |
| Drop at Comb | 1 5/8" / 41mm | 1 5/8" / 41mm | |
| Drop at Heel | 2 1/2" / 63,5mm | 2 1/2" / 63,5mm | |









| Model | Escort AimGuard | | Escort AimGuard 20 | |
|-------------------|--------------------------------------|-------------|--------------------------------------|-------------|
| Gauge | 12 GA | | 20 GA | |
| Chamber | 3" / 76mm Magnum | | 3" / 76mm Magnum | |
| Stock & Forend | Synthetic | | Synthetic | |
| Recoil Pad | Rubber | | Rubber | |
| Receiver | Black anodised air craft alloy | | Black anodised air craft alloy | |
| Barrel | Black chrome finished Ni-Cr-Mo steel | | Black chrome finished Ni-Cr-Mo steel | |
| Barrel Length | 18" / 46cm | 20" / 51cm | 18" / 46cm | 20" / 51cm |
| Overall Length | 38" / 96cm | 40" / 100cm | 38" / 96cm | 40" / 100cm |
| Magazine Capacity | 5+1 | 7+1 | 5+1 | 7+1 |
| Available Chokes | Fixed Cylinder | | Fixed Cylinder | |
| Sight | Fiber optic front sight | | Fiber optic front sight | |
| Safety | Manual cross button | | Manual cross button | |
| Average Weight | 6.4lbs / 2.9kg | | 5.5lbs / 2.5kg | |

- Security & law enforcement purpose 12 or 20 gauge, 3" / 76mm magnum chamber pump action shotgun.
- 18" (46cm) or 20" (51cm) slug barrel with fiber optic front sight.
 Fixed cylinder choke for shot or slugs.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.

 • Capability of firing both 3"/76mm and 2 ¾"/70mm shells.
- Aircraft alloy receiver.
- Advanced polymer compound synthetic stock for strength and durability.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Ergonomic design long forearm for fast and easy loading.
 Rubber butt pad for recoil absorption.

- Manual cross-button trigger safety.
 Magazine capacity: 7+1 in 20" / 51cm barrels. 5+1 in 18" / 46cm barrels.
- Accessory pistol grip comes in its box at no additional cost (12 gauge models only).
- Folding stock is available at a reasonable cost (12 gauge models only).
- Sling swivels.









| Model | Escort MarineGuard 20 | | Escort MarineGuard | |
|-------------------|--------------------------------------|-------------|--------------------------------------|-------------|
| Gauge | 20 GA | | 12 GA | |
| Chamber | 3" / 76mm Magnum | | 3" / 76mm Magnum | |
| Stock & Forend | Synthetic | | Synthetic | |
| Recoil Pad | Rubber | | Rubber | |
| Receiver | White nickel finish air craft alloy | | White nickel finish air craft alloy | |
| Barrel | White nickel finished Ni-Cr-Mo steel | | White nickel finished Ni-Cr-Mo steel | |
| Barrel Length | 18" / 46cm | 20" / 51cm | 18" / 46cm | 20" / 51cm |
| Overall Length | 38" / 96cm | 40" / 100cm | 38" / 96cm | 40" / 100cm |
| Magazine Capacity | 5+1 | 7+1 | 5+1 | 7+1 |
| Available Chokes | Fixed Cylinder | | Fixed Cylinder | |
| Sight | Fiber optic front sight | | Fiber optic front sight | |
| Safety | Manual cross button | | Manual cross button | |
| Average Weight | 5.5lbs / 2.5kg | | 6.4lbs / 2.9kg | |

ESCORT PS GUARD





| Model | Escort PS Guard | | Escort PS Guard 20 | |
|-------------------|--------------------------------------|-------------|--------------------------------------|-------------|
| Gauge | 12 GA (gas operated) | | 20 GA (gas operated) | |
| Chamber | 3" / 76mm | n Magnum | 3" / 76mm Magnum | |
| Stock & Forend | Synthetic | | Synthetic | |
| Recoil Pad | Rubber | | Rubber | |
| Receiver | Black anodised air craft alloy | | Black anodised air craft alloy | |
| Barrel | Black chrome finished Ni-Cr-Mo steel | | Black chrome finished Ni-Cr-Mo steel | |
| Barrel Length | 18" / 46cm 20" / 51cm | | 18" / 46cm | 20" / 51cm |
| Overall Length | 38" / 96cm | 40" / 100cm | 38" / 96cm | 40" / 100cm |
| Magazine Capacity | 5+1 | 7+1 | 5+1 | 7+1 |
| Available Chokes | Fixed Cylinder | | Fixed Cylinder | |
| Sight | Fiber optic front sight | | Fiber optic front sight | |
| Safety | Manual cross button | | Manual cross button | |
| Average Weight | 6.6lbs / 3kg | | 5.7lbs | / 2.6kg |

- Security & law enforcement purpose 12 or 20 gauge, 3"/76mm chamber, gas operated semi auto shotgun.
- Patented "Smart Valve Piston" & "Fast Loading System".
- Magazine cut-off system for single shot.
- Fast Loading System & Smart Valve Piston.
 18" (46cm) or 20" (51cm) slug barrel with fiber optic front sight.
- Fixed cylinder choke for shot or slugs.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested. Tough black matte finish.
- Air craft alloy receiver.
- Advanced polymer compound synthetic stock for strength and durability.
- Spacer shims to adjust the slope of the stock for a perfect fit.
- Elastic butt pad for recoil absorption.
- Manual cross-button trigger safety.
- Magazine capacity: 7+1 in 20" / 51cm barrels. 5+1 in 18" / 46cm barrels.
- Sling swivels.







| Model | Escort PS MarineGuard | | Escort PS MarineGuard 20 | |
|-------------------|--------------------------------------|-------------|--------------------------------------|-------------|
| Gauge | 12 GA (gas | operated) | 20 GA (gas operated) | |
| Chamber | 3" / 76mm | n Magnum | 3" / 76mm Magnum | |
| Stock & Forend | Synti | hetic | Synthetic | |
| Recoil Pad | Rubber | | Rubber | |
| Receiver | White nickel finish air craft alloy | | White nickel finish air craft alloy | |
| Barrel | White nickel finished Ni-Cr-Mo steel | | White nickel finished Ni-Cr-Mo steel | |
| Barrel Length | 18" / 46cm | 20" / 51cm | 18" / 46cm | 20" / 51cm |
| Overall Length | 38" / 96cm | 40" / 100cm | 38" / 96cm | 40" / 100cm |
| Magazine Capacity | 5+1 | 7+1 | 5+1 | 7+1 |
| Available Chokes | Fixed Cylinder | | Fixed C | Cylinder |
| Sight | Fiber optic front sight | | Fiber optic | front sight |
| Safety | Manual cross button | | Manual cr | oss button |
| Average Weight | 6.6lbs / 3kg | | 5.7lbs / 2.6kg | |





ESCORT Inner Chokes

Escort Inner Choke Tubes for 12-gauge and 20-gauge are available in Full (F), Improved Modified (IM), Modified (M), Improved Cylinder (IC) and Cylinder (CYL).

ESCORT Extended Inner Chokes

Escort Extended Inner choke tubes for 12 gauge are available Full (F), Improved Modified (IM), Modified (M), Improved Cylinder (IC) and Cylinder (CYL).



Extra Full Choke

Extended Extra Full Choke is available in 12 and 20 gauge.



Magazine **Extension Tube**

Increases the magazine capacity to 7+1 rounds from 4+1.



Migratory

Magazine Plug
Decreases the magazine capacity to 2+1 rounds from 4+1.



ESCORT

Recoil Pads


Small, Medium and Large size recoil pads are available for synthetic



ESCORT Shotgun BagDesigned for Escort hunting shotguns and made of waterproof high quality material. It includes an additional compartment for a spare barrel and another compartment for ammo.



TRIOPAD® Butt System
TRIOPAD® Butt System with TRIOPAD® Stock Spacers can be put on most Escort shotguns as an option. Recoil absorption is maximized with TRIOPAD® butt system which contributes to better shooting and faster swing on targets. With 3 TRIOPAD® Stock Spacers stock length of pull can be extended to different lengths.



Stock Length of Pull Spacers

Stock length of pull spacers are available for wood stocks. The stock length of pull can be extended by increments of 5mm (1/5") by simply inserting one or more of these spacers.



Stock Drop & Cast Adjustment Shims3 stock cast shims and 1 stock drop shim are available. Any shooter can adjust the stock drop & stock cast perfectly fitting himself and his shooting style by simply inserting one or more of the four special shims between the receiver and stock.







ESCORT Shotgun Case Escort shotgun case is made of durable

infrangible material. It allows you to carry every accessory that you need with your shotgun.




Batsas 121H-White



- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Exclusive design single action trigger system.
- Auto ejector system.
- High grade Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Rubber recoil pad.
- Steel receiver in white or black chrome finish.
- Every single part of Batsas o/u shotguns are gone thru suitable heat treatment and hardening process which makes each part high resistant and durable.
- Barrels are Mono-block design. Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
 Proof tested at 1400 bar.
- Silver welded barrels and silver welded barrel ribs.
- Strong and durable barrel locking system.
- Smart safety system. Automatic safety turns to ON position when the lever is opened and automatically turns to OFF
 position when the barrel is closed. This system prevents accidental pull of the trigger before barrel is completely closed
 and locked in its place.
- Available Barrel lengths: 24"/61cm, 26" / 66cm or 28" / 71cm with 8mm ventilated & checkered rib.
- Steel shot suitable and extended multi 5 chokes: F, IM, M, IC, CYL.
- Comes in its exclusive hard case.









| Model | Optima D12 |
|---------------------|---|
| Gauge | 12 |
| Chamber | 3" / 76 mm Magnum |
| Unloading Mechanism | Extractor or Auto Ejector |
| Stock | Turkish Walnut |
| Recoil Pad | Rubber |
| Receiver | Steel. (Aluminum also available) White chrome finish. |
| Barrel Finish | Black Chrome |
| Barrel Length | 28" / 71cm |
| Sight | Metal Bead Front Sight |
| Rib | Ventilated 7x7 mm |
| Trigger | Single selective |
| Chokes | MC5 |
| Overall Length | 45" / 115cm |
| Avarage Weight | 7.2lbs / 3.27kg |
| Length of Pull | 14,25" / 362mm |
| Drop at Comb | 1,57" / 40mm |
| Drop at Heel | 2,50" / 63,5mm |

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Selected Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Rubber recoil pad.
- Steel receiver in white chrome finish. Aluminum receiver available upon demand.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are proof pested.
- Available Barrel lengths: 22"/55cm, 24"/61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm.
- 7x7mm ventilated & checkered rib.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).



| Model | Optima D12-Black |
|---------------------|---|
| Gauge | 12 |
| Chamber | 3" / 76 mm Magnum |
| Unloading Mechanism | Extractor or Auto Ejector |
| Stock | Turkish Walnut |
| Recoil Pad | Rubber |
| Receiver | Steel. (Aluminum also available) Black chrome finish. |
| Barrel Finish | Black Chrome |
| Barrel Length | 28" / 71cm |
| Sight | Metal Bead Front Sight |
| Rib | Ventilated 7x7 mm |
| Trigger | Single selective |
| Chokes | MC5 |
| Overall Length | 45" / 115cm |
| Avarage Weight | 7.2lbs / 3.27kg |
| Length of Pull | 14,25" / 362mm |
| Drop at Comb | 1,57" / 40mm |
| Drop at Heel | 2,50" / 63,5mm |

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Selected Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Rubber recoil pad.
- Steel receiver in black chrome finish. Aluminum receiver available upon demand.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are proof pested.
- Available Barrel lengths: 22"/55cm , 24"/61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm.
- 7x7mm ventilated & checkered rib.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).



Optima Choke TubesSteel shot suitable multi 5 chokes: F, IM, M, IC, CYL.





| Model | Optima D12-Trap |
|---------------------|--|
| Gauge | 12 |
| Chamber | 3" / 76 mm Magnum |
| Unloading Mechanism | Auto Ejector |
| Stock | Turkish Walnut |
| Recoil Pad | Rubber |
| Receiver | Steel. (Aluminum also available) White or black chrome finish. |
| Barrel Finish | Black Chrome |
| Barrel Length | 28" / 71cm |
| Sight | Fiber Optic Front Sight |
| Rib | Ventilated 7x7 mm |
| Trigger | Single selective |
| Chokes | MC5 |
| Overall Length | 45" / 115cm |
| Avarage Weight | 8.3lbs / 3.76kg |
| Length of Pull | 14,80" / 375mm |
| Drop at Comb | 1,18" / 30mm |
| Drop at Heel | 1,57" / 40mm |

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejectors.
- Selected Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Elevation adjustable comb.
- Rubber recoil pad.
- Steel receiver in white chrome finish. Aluminum receiver available upon demand.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm.
 7x7mm ventilated & checkered rib.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).



Optima Choke Tubes Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.





OPTIMA SILVER SELECT





| Model | Optima Silver Select |
|---------------------|--|
| Gauge | 12 |
| Chamber | 3" / 76mm Magnum |
| Unloading Mechanism | Extractor or Auto Ejector |
| Stock | High Class Turkish Walnut with oil polish & checkering |
| Recoil Pad | TRIOPAD Butt System |
| Receiver | Steel. White chrome finish |
| Barrel Finish | Black Chrome |
| Barrel Length | 28" / 71cm |
| Sight | Fiber optic front sight |
| Rib | Ventilated 8mm |
| Trigger | Single selective |
| Chokes | MC5 |
| Overall Length | 45" / 115cm |
| Average Weight | 7.7lbs / 3.5kg |
| Length of Pull | 14 1/4" / 362mm |
| Drop at Comb | 1 9/16" / 40mm |
| Drop at Heel | 2 1/2" / 63,5mm |

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Selected high class Turkish walnut stock and fore-end with oil polish and checkering.
- TRIOPAD® butt system for maximum recoil absorption.
- Comes with 3 TRIOPAD® stock spacers (each 5mm width) to change the stock length of pull.
- Steel receiver with soft engraving and white chrome finish.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib.
- Fiber optic front sight.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL .
- Sling swivels (optional).



| Model | Optima Silver Trap |
|---------------------|---|
| Gauge | 12 |
| Chamber | 3" / 76mm Magnum |
| Unloading Mechanism | Extractor or Auto Ejector |
| Stock | High Grade Turkish Walnut with elevation adjustable cheek piece |
| Recoil Pad | Rubber |
| Receiver | Steel. White chrome finish |
| Barrel Finish | Black Chrome |
| Barrel Length | 28" / 71cm |
| Sight | Fiber optic front sight |
| Rib | Ventilated 8mm |
| Trigger | Single selective |
| Chokes | MC5 |
| Overall Length | 45" / 115cm |
| Average Weight | 7.7lbs / 3.5kg |
| Length of Pull | 14 1/4" / 362mm |
| Drop at Comb | 1 9/16" / 40mm |
| Drop at Heel | 2 1/2" / 63,5mm |

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- · High grade Turkish walnut stock and forend with checkering.
- Rubber recoil pad.
- Steel receiver with soft engraving and white nickel finish.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel.
 All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib.
- Fiber optic front sight.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).





| Model | Optima S12 |
|---------------------|--------------------------------|
| Gauge | 12 |
| Chamber | 3" / 76mm Magnum |
| Unloading Mechanism | Extractor or Auto Ejector |
| Stock | Turkish Walnut with checkering |
| Recoil Pad | Rubber |
| Receiver Finish | Steel. White chrome finish |
| Barrel Finish | Black Chrome |
| Barrel Length | 28" / 71cm |
| Sight | Metal Bead Front Sight |
| Rib | Ventilated 8mm |
| Trigger | Single selective |
| Chokes | MC5 |
| Overall Length | 45" / 115cm |
| Average Weight | 7.7lbs / 3.5kg |
| Length of Pull | 14 1/4" / 362mm |
| Drop at Comb | 1 9/16" / 40mm |
| Drop at Heel | 2 1/2" / 63,5mm |

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Selected Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Rubber recoil pad.
- Steel receiver with soft engraving and white chrome finish.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).



OPTIMA Shotgun Case

Optima shotgun hard case is made of durable & infrangible polymer. Sold separately.



| Model | Optima B12 |
|---------------------|--------------------------------|
| Gauge | 12 |
| Chamber | 3" / 76mm Magnum |
| Unloading Mechanism | Extractor or Auto Ejector |
| Stock | Turkish Walnut with checkering |
| Recoil Pad | Rubber |
| Receiver Finish | Steel. Black chrome finish |
| Barrel Finish | Black Chrome |
| Barrel Length | 28" / 71cm |
| Sight | Metal Bead Front Sight |
| Rib | Ventilated 8mm |
| Trigger | Single selective |
| Chokes | MC5 |
| Overall Length | 45" / 115cm |
| Average Weight | 7.7lbs / 3.5kg |
| Length of Pull | 14 1/4" / 362mm |
| Drop at Comb | 1 9/16" / 40mm |
| Drop at Heel | 2 1/2" / 63,5mm |

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Selected Turkish walnut stock and fore-end with matt finish (kiln dried and moisture stabilized).
- Rubber recoil pad.
- Steel receiver with soft engraving and Black chrome finish.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL
- Sling swivels (optional).



Optima Silver Synthetic comes with 5 steel shot suitable inner chokes: F, IM, M, IC, CYL.

OPTIMA SILVER SYNTHETIC



Serious. Solid. Impact.



| Model | Optima Silver Synthetic |
|---------------------|---------------------------------------|
| Gauge | 12 |
| Chamber | 3" / 76mm Magnum |
| Unloading Mechanism | Extractor or Auto Ejector |
| Stock | Advanced Polymer with Adjustable Comb |
| Recoil Pad | TRIOPAD Butt System |
| Receiver Finish | Steel. White chrome finish |
| Barrel Finish | Black Chrome |
| Barrel Length | 28" / 71cm |
| Sight | Fiber optic front sight |
| Rib | Ventilated 8mm |
| Trigger | Single selective |
| Chokes | MC5 |
| Overall Length | 45" / 115cm |
| Average Weight | 7.7lbs / 3.5kg |
| Length of Pull | 14 1/4" / 362mm |
| Drop at Comb | 1 9/16" / 40mm |
| Drop at Heel | 2 1/2" 63,5mm |

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Advanced polymer stock with Adjustable Comb and advanced polymer fore-end.
- TRIOPAD[®] butt system for maximum recoil absorption.
- Comes with 3 TRIOPAD® stock spacers (each 5mm width) to change the stock length of pull.
- Steel receiver with soft engraving and white chrome finish.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Available Barrel lengths: 26" / 66cm, 28" / 71cm or 30" / 76cm with 7x7mm ventilated & checkered rib.
- · Fiber optic front sight.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- Sling swivels (optional).



Every Optima Silver Synthetic has **TRIOPAD**® butt system with **TRIOPAD**® Stock Spacers and with an adjustable comb mechanism. Recoil absorption is maximized with **TRIOPAD**® butt system which contributes to better shooting and to faster swing on targets. Stock length of pull can be extended to different lengths with the 3 **TRIOPAD**® Stock Spacers. Adjustable comb mechanism provides better sight in opportunities and shooting comfort for everyone.



| Model | Optima Synthetic Slug |
|---------------------|---------------------------------------|
| Gauge | 12 |
| Chamber | 3" / 76mm Magnum |
| Unloading Mechanism | Extractor or Auto Ejector |
| Stock | Advanced Polymer with Adjustable Comb |
| Recoil Pad | TRIOPAD Butt System |
| Receiver Finish | Steel. White chrome finish |
| Barrel Finish | Black Chrome |
| Barrel Length | 20" / 51cm |
| Sight | Fiber optic front sight |
| Rib | - |
| Trigger | Single selective |
| Chokes | MC5 |
| Overall Length | 37" / 94cm |
| Average Weight | 7.0lbs / 3.2kg |
| Length of Pull | 14 1/4" / 362mm |
| Drop at Comb | 1 9/16" / 40mm |
| Drop at Heel | 2 1/2" 63,5mm |

- 12 gauge, 3" / 76mm chamber over & under shotgun.
- 20"/51cm slug barrel version. Picatinny rail on lower barrel for flashlight or laser mounts.
- Single selective gold plated trigger.
- Auto ejector or extractor system.
- Advanced polymer stock with Adjustable Comb and advanced polymer fore-end.
- TRIOPAD® butt system for maximum recoil absorption.
- Comes with 3 TRIOPAD® stock spacers (each 5mm width) to change the stock length of pull.
- Steel receiver with soft engraving and white chrome finish.
- Oxidation Proof Chrome plated barrels made of Chromium, Nickel, Molybdenum steel. All barrels are Proof Tested.
- Fiber optic front sight.
- Steel shot suitable multi 5 chokes: F, IM, M, IC, CYL.
- · Sling swivels (optional).



Optima Choke TubesOptima Silver Synthetic comes with 5 steel shot suitable inner chokes: F, IM, M, IC, CYL.



OPTIMA SINGLE BARREL SHOTGUNS



| Model | Optima SB-W |
|-------------------|--|
| Туре | Single Barrel, Break Action, With Hammer |
| Gauge Options | 12 GA / 16 GA / 20 GA / 28GA / 410 GA (36 GA) |
| Chamber | 3" / 76mm |
| Stock & Forend | Turkish Walnut |
| Recoil Pad | Stiff Plastic |
| Receiver | White chrome plated steel receiver |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Lengths | 20", 22", 24", 26", 28", 30" 51 / 56 / 61 / 66 / 71 / 76cm |
| Barrel Rib | 7mm width ventilated |
| Chokes | Fixed Cylinder Choke |
| Safety | No Safety |
| Magazine Capacity | 1 |
| Sight | Fixed Metal Bead |
| Average Weight | 2.5kg / 5.5lbs |

- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun with hammer.
 Capability of firing both 3" / 76mm and 2 ¾" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel.
- Medium width (7mm) checkered ventilated antiglare rib.
- Fixed cylinder choke.
- White chrome plated steel receiver.
- Genuine Turkish walnut stock & fore-end.
- Stiff plastic butt pad.
- Sling swivels.



| Model | Optima SB-P |
|-------------------|--|
| Туре | Single Barrel, Break Action, With Hammer |
| Gauge Options | 12 GA / 16 GA / 20 GA / 28GA / 410 GA (36 GA) |
| Chamber | 3" / 76mm |
| Stock & Forend | Synthetic |
| Recoil Pad | Rubber |
| Receiver | White chrome plated steel receiver |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Lengths | 20", 22", 24", 26", 28", 30" 51 / 56 / 61 / 66 / 71 / 76cm |
| Barrel Rib | 7mm width ventilated |
| Chokes | Fixed Cylinder Choke |
| Safety | No Safety |
| Magazine Capacity | 1 |
| Sight | Fixed Metal Bead |
| Average Weight | 2 5kg / 5 5lbs |

- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun with hammer.
 Capability of firing both 3" / 76mm and 2 ¾" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel.
- Medium width (7mm) checkered ventilated antiglare rib.
- Fixed cylinder choke.
- White chrome plated steel receiver.
- Synthetic stock with check-piece & synthetic fore-end.
- Soft rubber butt pad.
- Sling swivels.





| Model | Optima SB-WX |
|-------------------|--|
| Туре | Single Barrel, Break Action, Without Hammer |
| Gauge Options | 12 GA / 16 GA / 20 GA / 28GA / 410 GA (36 GA) |
| Chamber | 3" / 76mm |
| Stock & Forend | Turkish Walnut |
| Recoil Pad | Stiff Plastic |
| Receiver | White chrome plated steel receiver |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Lengths | 20", 22", 24", 26", 28", 30" 51 / 56 / 61 / 66 / 71 / 76cm |
| Barrel Rib | 7mm width ventilated |
| Chokes | Fixed Cylinder Choke |
| Safety | Cross Button Trigger Safety |
| Magazine Capacity | 1 |
| Sight | Fixed Metal Bead |
| Average Weight | 2.5kg / 5.5lbs |

- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun without hammer.
- Capability of firing both 3" / 76mm and 2 ¾" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
- 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel.
- Medium width (7mm) checkered ventilated antiglare rib.
- Fixed cylinder choke.
- White chrome plated steel receiver.
- Genuine Turkish walnut stock & fore-end.
- Stiff plastic butt pad.
- · Sling swivels.



| Model | Optima SB-PX |
|-------------------|--|
| Туре | Single Barrel, Break Action, Without Hammer |
| Gauge Options | 12 GA / 16 GA / 20 GA / 28GA / 410 GA (36 GA) |
| Chamber | 3" / 76mm |
| Stock & Forend | Synthetic |
| Recoil Pad | Rubber |
| Receiver | White chrome plated steel receiver |
| Barrel | Black chrome finished Ni-Cr-Mo steel |
| Barrel Lengths | 20", 22", 24", 26", 28", 30" 51 / 56 / 61 / 66 / 71 / 76cm |
| Barrel Rib | 7mm width ventilated |
| Chokes | Fixed Cylinder Choke |
| Safety | Cross Button Trigger Safety |
| Magazine Capacity | 1 |
| Sight | Fixed Metal Bead |
| Average Weight | 2.5kg / 5.5lbs |

- 12, 16, 20, 28 or 410 GA (36 GA), 3" / 76mm chamber single barrel shotgun with hammer.
 Capability of firing both 3" / 76mm and 2 ¾" / 70mm shells.
- Barrels are made of nickel-chromium-molybdenum steel with chrome plating internally.
 20" / 51cm, 22" / 55cm, 24" / 61cm, 26" / 66cm, 28" / 71cm or 30" / 76cm barrel.
- Medium width (7mm) checkered ventilated antiglare rib.
- Fixed cylinder choke.
- White chrome plated steel receiver.
- Synthetic stock with check-piece & synthetic fore-end.
- Soft rubber butt pad.
- Sling swivels.

ESCORT SHOTGUNS









HATSAN ARMS COMPANY

Factory: Kemalpasa O.S.B. Mahallesi, Ansizca Sanayi Sitesi No: 303, Kemalpasa, 35730, Izmir - TURKEY

Office: Kemalpasa O.S.B. Mahallesi, Izmir - Ankara Karayolu No: 365, Ic Kapi No: 1, Kemalpasa, 35730, Izmir - TURKEY

Tel: +90 (232) 878 91 00 Fax: +90 (232) 878 91 02 - 878 97 23


info@hatsan.com.tr




www.hatsan.com.tr www.escortshotguns.com

facebook.com/hatsan







ESCORT SHOTGUNS - 2020